4th EUFEMED CONFERENCE 25-26 May 2023, Berlin

Session 2

Challenges in healthy volunteers and patient recruitment for human pharmacology trials -Experiences and Suggestions

"Why I took part in a clinical trial"

Results from a survey on motivation among Polish healthy volunteers

Agnieszka Kulesza Ewa Urbańczyk



Introduction



3

The Purpose of the Survey

to learn about the volunteers' motivation factors, perceived benefits/values, and concerns related to participation in clinical trials.

Participants

healthy volunteers who signed an Informed Consent and underwent at least one study visit.

Non-Participants

healthy volunteers registered in the volunteers' database but not yet participated in a clinical trial.

Target group

Healthy volunteers registered in the database of Biokinetica Phase 1 Unit (POLFEMED supporting member).

Methodology


Online questionnaire sent via e-mail to 15 000 healthy volunteers (participants and non-participants), April-May 2023.

Questions

The respondents rated each of the response options in the cafeteria on a scale from 1 to 10 (ranging from irrelevant to very significant).

Confidentiality and anonymity was assured – anononymized responses were aggregated and sent to POLFEMED for collective analysis.

Respondents' Profile



No of questionnaires sent	15.000
Received answers	974
Valid answers	973
Participants	296
Non-participants	677
Females	276
Males	697


- 65 % of respondents were between 35-55 y.o.
- 27% of survey respondents have a chronically ill person among their family or close friends.


Socioeconomic Data



2 RESPONDENTS PROFILE

- Income
- below 2000 (below 445 €)
- 2000-4000 (445-891 €)
- 4000-6000 (891-1336 €)
- 6000-8000 (1336-1782€)
- 8000-10000 (1782-2227 €)
- 10000-15000 (2227-3341 €)
- above 15000 (above 3341 €)





Education Postgraduate Higher education Secondary Vocational Basic 9% 9% 40%


- 81% are professionally active.
- 49% have at least a higher level of education.
- Only 3% have a basic level of education.
- 35% have monthly income above the national monthly average: 7 500 PLN ≈ 1 670 € (EU 2021: 2 800 €).

Source of Information about Clinical Trials




2 **RESPONDENTS PROFILE**

- Internet advertisement
- Family/friends
- Research Center website
- E-mail from research company
- Other participant
- Advertising on bilboards/posters
- Doctor
- Own search
- Press/TV
- Don't remember
- Facebook



- Internet advertisements dominate as a primary source of information.
- Only 1 % of respondents declared they gain knowledge about clinical trials from healthcare professionals.



- A majority of participants (61%) have taken part in a single clinical trial.
- 7% of participants participated in more than 5 clinical trials.
- 88% of respondents completed their last study.

10/01/2024




Motivation



3

RESULTS

Respondents were asked to assess each factor on a scale from 1 (insignificant) to 10 (most significant). The numerical values associated with each factor represent the arithmetic mean of all the responses.



What made you participate in the study?

- In the participant group, the highest average score (8,18 points) was given to the opportunity to improve own financial situation.
- In the non-participant group, the highest average score (7,65 points) was given to the opportunity to help others.
- Both groups placed as second the "possibility to perform free medical tests" which may reflect poor access to public medical services in Poland.


Benefits / Values								Pure		
W	nat aspects of your participation in	า the	e sti	udy	do y	ou v	/alu	e the	most?	
	Opportunity to meet other study participants and share experiences							5,73 5,45		
C	Opportunity for direct contact with a doctor / medical staff								7,47	
Non-participantsParticipants	Continuation of medical care after the end of the study								7,68 7,63	
	Free medical care during the study								7,08 7,00	
	Opportunity to perform free medical tests	0,00	1,00	2,00	3,00	4,00	5,00	6,00	6,90 7,18	

The most important aspect of study participation for respondents is the continuation of medical care after the end of the study, followed by the possibility of direct contact with medical professionals and the opportunity to perform free medical tests during te study.

2

3

C DOLEDIÓ



Concerns



What were you most afraid of when deciding to participate in a clinical trial?

Rate on a scale of 1-10 with 1 being the least significant and 10 being the most significant

- **Safety** you are concerned that the unknown effect of the study drug or treatment may lead to serious adverse effects in the future.
- **Uncertainty** you do not have enough knowledge about what awaits you in the study and you are afraid of unknown consequences.
- Loss of control you are concerned that participation in clinical trials may lead to loss of control over your own treatment you may need.
- **Negative impact on mental health** you are afraid that participation in clinical trials may have a negative impact on your mental health you are afraid of feeling isolated, stressed or depressed.
- **Restriction of freedom** you are afraid that when taking part in a clinical trial you will have to follow strict rules and restrictions regarding lifestyle, e.g., eat certain foods at certain times or refrain from eating for some time, use contraception or refrain from having sex , give up your favorite stimulants, e.g., coffee or caffeinated drinks, for the duration of the test which may be bothersome for you.
- You are concerned that participation in a clinical trial will result in loss of fertility
- **Staff misconduct** you are concerned that a clinical trial may be conducted incorrectly or unethically, and this may lead to your harm.
- Loss of confidentiality you are afraid that your personal data may be disclosed to third parties, you are afraid that your participation in a clinical trial will be publicly disclosed.
- Uncertain financial compensation you are concerned that the possible compensation for participation in the study and possible compensation for adverse reactions is too small in relation to your costs related to participation in the study or the cost of treatment.




Concerns

3 RESULTS

2

4

What were/you most concerned about when deciding to participate in a clinical trial?



- In both groups the major concern related to participation in clinical trial is safety that the unknown effect of the study drug or treatment may lead to serious adverse reactions.
- Significant differences between volunteers who already participated in clinical trials and those who have not participated participants present lower level of concerns in all investigated factors.



- 85% of participants are satisfied with their participation in the clinical trial.
- 92% of participants declared an interest to take part in a clinical trial in the future.





CONCLUSIONS

Loyalty

Survey results show a high level of **positive attitude toward participation in clinical trials – 92%** of participants want to take part in a clinical trial again.

Trust

Former participants present a higher level of confidence in clinical trials, as shown by significantly lower average scores in all categories of concerns as compared to non-participants.

Incentives

The financial aspect is a very important

motivator in both analysed groups – but was indicated as a key motivator by the group of participants – whereas nonparticipants emphasized their willingness to help others.

Care

Both analysed groups highly rated the possibility to perform **free medical tests and direct, unlimited contact with medical professionals** (also after the study) to discuss health issues which may reflect an unmet medical need in Polish society.

THANK YOU DANKE

ANY QUESTIONS?

